



CangZhou Changyuan Fittings Co.,Ltd

Head office and machining plant: No.3 Jiuhe East Road,Development Zone,Cangzhou,Hebei,China 061000


Casting Plant: No.26 Shigang Road,Development Zone,Cangzhou,Hebei,China 061000

[Http://www.con-well.com](http://www.con-well.com) E-mail: Con-well@vip.163.com Sale@con-well.com Whatapp:+8613803176339

ISO4144 FITTINGS

(Measures:mm)

90°Elbow ISO4144 (LB)



Type II

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	17	19	23	27	32	38	45	48	57	69	78	96
B	13.7	16.5	21	25.5	32	39	48	54.5	68	84	97.5	124

*

Type I

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A			23.5	28	32.5		45.5	48.5	57.5			
B			20.5	27.5	32.5		48	55	69			

*

*


*

*

*

*

Tees ISO4144 (TB)



Type II

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	17	19	23	27	32	38	45	48	57	69	78	96
B	13	16.5	20.5	25	31	38.5	48	54	67	83.5	96.5	123.5

Type I

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A		19.5	23.5		32.5	38.5	45.5	48.5				
B		17	20.5		32.5	39	48	55				

*

*


*

*

*

*

90°Street Elbows ISO4144 (STB)



Type II

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	19.5	20	22	27	32	38	45	48	57	69	78	97
B	27	30	32	35	40	46	54	57	70	83	94	115
C	17	17	20	25.5	32	39	48	54.5	68	84	97.5	124.5

*

*

*

*

*

Type I

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A				27.5	32.5	38.5	45.5		57.5			
B				35.5	40.5	46.5	54.5		70.5			
C				26	32.5	39	48		68.5			

*

*

*


*

*

*

*

Cross ISO4144 (+B)




Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	17	19	23	27	32	38	45	48	57	69	78	96
B	13.8	17.8	21	26.3	32	39	48.5	55	68.5	83.5	97.5	124.5

*

*

*

45°Elbows ISO4144 (45°LB)



Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	16	17	19	21	25.5	29.5	33	37	42.5	49	54	64
B	13.7	16.5	20.3	25.8	32.5	39	46.5	54	69	83.7	97.9	124.5

*

*

*

*

*


*

*

*

*

Hexagon Caps ISO4144 (HCB)



Type II

Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW	12.6	15.1	18.6	25	30.5	37	46.5	53	64.2	80	92.5	120.5
L1	12.5	16	16.5	19	20	23	25.5	25.5	29.3	31.8	38.5	40.7
Square	6	6	6	6	8	8	8	8	8	8	8	8

Type I

Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW					31	38		53.5	66	83		
L1					23	26.5		29.5	34	38.5		
Square					8	8		8	8	8		

*

*

*


*

*

*


*

Hexagon Nipples (Heavy & Long TYPE)




Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW	12	14.5	17.5	22.6	27.7	36	43.5	50	63	77.5	91.5	116.4
L	23.2	25	28.7	37	41	45.5	50	53.3	61.5	72	77	83
ID	5.6	9	11.2	15.3	20	26.6	35	40	50	64.5	77.5	102.3
Square	6	6	6	6	6	8	8	8	8	8	8	8

Hexagon Nipples(ISO4144 TYPE)




Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW	12	14.5	17.5	21.5	27.5	34	43	48.5	61.2	76.5	90	115.5
L	23.2	25	28.7	34.5	37	42	48	47.5	57	61	67.5	80
ID	5.6	9	11.2	15.6	20.8	27	35.4	40.7	52	66.5	79.2	104
Square	6	6	6	6	6	10	10	10	10	10	10	10
	*	*	*									

Barrel Nipples(BN)




Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	40	40	40	60	60	60	80	80	100	100	120	120
A	10	13.72	17.15	21.34	26.67	33.4	42.16	48.26	60.33	76.3	88.9	114.3
Tk-Sch20S				2.5	2.5	3	3	3	3.5	4	4	5
Tk-Sch40S	2	2.24	2.31	2.77	2.87	3.38	3.56	3.68	3.91	5.2	5.49	6.02

Welding Nipples(WN)



Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L	30	30	30	35	40	40	50	50	50	60	70	80
A	10	13.72	17.15	21.34	26.67	33.4	42.16	48.26	60.33	76.3	88.9	114.3
Tk-Sch20S				2.5	2.5	3	3	3	3.5	4	4	5
Tk-Sch40S	2	2.24	2.31	2.77	2.87	3.38	3.56	3.68	3.91	5.2	5.49	6.02


Hose Nipples (Short Type)



Type II

Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A							34	40.5	52.5	63.5	76.1	100
SW							43.5	50	62	77.5	91.5	115.5
L							66	68.5	82	96.5	105	115
B							35.2	40.4	51.5	64.2	77.3	102.2
C							27.8	33.8	45.7	55	66.8	90.6
Square							8	8	8	8	8	8


Hose Nipples (Long Type)



Type I


Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	7	9	11	15	20	26	34	40.5	52.5	63.5	76.1	100
SW	11	15	18	22.3	28	36	44	50	62	78	91.5	115.5
L	41	48	48	52.6	61	66	75	82	98.5	116	119.3	128
B	4.3	8.3	11.3	15.3	20	26	35	40	51.5	64.2	77	102
C	4.3	4.9	7	10	15.1	20.4	27.8	33.6	45.3	53	66.8	90.6
Square	6	6	6	6	6	8	8	8	8	8	8	8

Couplings ISO4144(polished surface)




Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	13	16.5	20	24.5	30	37.5	46.5	53	65.5	82	95.5	121.5
L	17	24	25	32	35	41	45	45	54	63	69	81

Couplings DIN2986 (polished surface)




Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
A	14	18.5	21.3	26.4	31.8	39.5	48.3	54.5	66.3	82	95	122
L	17	25	26	34	36	43	48	48	56	65	71	83

Unions Conical BW/BW




Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW	25	30.5	34	37.5	46	52	64	69.5	86	105	117.5	148
A	10.2	14.3	17.2	21.2	27	33.7	42.4	48.2	60.5	76.1	91	114.3
L	33.5	39.5	41.3	43.8	46	48.5	54	56	63	68	77.7	78
Square	8	8	8	8	8	8	10	10	10	10	10	10

Unions conical F/F





Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW1	25	30.5	34	37	45.5	52	64.5	71	86	101	116.5	145.5
SW2	13	17	21.5	25	30.5	38	47	54	67.5	80.5	96.5	121
L	30	33.5	36.5	40	43	50.5	54	58.5	65	75	83	110
Square	8	8	8	8	8	8	10	10	10	10	10	10

Unions conical M/F




Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW1	25	30.5	34	37	45.5	52	64.5	71	86	101	116.5	145.5
SW2	13	17	21.5	25	30.5	38	47	54	67.5	80.5	96.5	121
L	38	44	47.5	54.5	59.5	70.6	75	79.5	90	102	113	146
Square	8	8	8	8	8	8	10	10	10	10	10	10

Hexagon Plug ISO4144 (HP)




Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
SW	12	15	18	22	28	36	44	50	62	78.6	92	116
m	5.1	5	6	6	8	8	9.5	10	9.5	11	11.6	12
L2	8.5	11.8	12	15.3	16.8	19	21	20.4	25	28.2	29.5	34.5
Square	6	6	6	6	6	8	8	8	8	8	8	8
Note	solid	solid	solid	hollow	hollow	hollow	hollow	hollow	hollow	hollow	hollow	hollow

Square Plug (SQ)



Size Item	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
n	5	5	6	7	8.5	11.5	11	12.5	13.1	15.5	16	17.7
L1	6.8	10	10	12.8	14	16	19.2	18.5	23.5	24.5	28.3	31.2
Note	solid	solid	solid	hollow	hollow	hollow	hollow	hollow	hollow	hollow	hollow	hollow

Round Caps (CB)



Type II

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D	14	17.5	20.1	25.6	31	40.1	47.8	53.5	65.5	82.8	97.8	124.3
L	12.5	16	16.5	20	20.5	24.5	24.2	25.2	29.5	31.8	36	37

*


*

*

Type I

Item \ Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
D				28	34.8	40						
L				21	22	24						


Reduce 90 Elbow (RLB)



Size:

1/2" * 3/8"	1/2" * 1/4"	3/4" * 1/2"	3/4" * 3/8"	3/4" * 1/4"	1" * 3/4"	1" * 1/2"	1" * 3/8"	1" * 1/4"	1 1/4" * 1"	1 1/4" * 3/4"	1 1/4" * 1/2"	1 1/2" * 1 1/4"
1 1/2" * 1"	1 1/2" * 3/4"	1 1/2" * 1/2"	2" * 1 1/2"	2" * 1 1/4"	2" * 1"	2" * 3/4"	2" * 1/2"					


Reduce Tee (RTB)



Size:


1/2" * 3/8"	1/2" * 1/4"	3/4" * 1/2"	3/4" * 3/8"	3/4" * 1/4"	1" * 3/4"	1" * 1/2"	1" * 3/8"	1" * 1/4"	1 1/4" * 1"	1 1/4" * 3/4"	1 1/4" * 1/2"	1 1/2" * 1 1/4"
1 1/2" * 1"	1 1/2" * 3/4"	1 1/2" * 1/2"	2" * 1 1/2"	2" * 1 1/4"	2" * 1"	2" * 3/4"	2" * 1/2"					

Hex. Bushing ISO4144 Type (HB)




DN1 x DN2	m	L1	SW	DN1 x DN2	m	L1	SW
1 1/2" x 1/2"	6.5	20.5	49	2 1/2" x 2"	7	27	34
1 1/2" x 3/4"	6.5	20.5	49	3" x 1"	7.5	30	37.5
1 1/2" x 1"	6.5	20.5	49	3" x 1 1/4"	7.5	30	37.5
1 1/2" x 1 1/4"	6.5	20.5	49	3" x 1 1/2"	7.5	30	37.5
2" x 1/2"	7	25	62	3" x 2"	7.5	30	37.5
2" x 3/4"	7	25	62	3" x 2 1/2"	7.5	30	37.5
2" x 1"	7	25	62	4" x 1 1/2"	8	36	44
2" x 1 1/4"	7	25	62	4" x 2"	8	36	44
2 1/2" x 1"	7	27	34	4" x 2 1/2"	8	36	44
2 1/2" x 1 1/4"	7	27	34	4" x 3"	8	36	44
2 1/2" x 1 1/2"	7	27	34				

Hex. Bushing Heavy Type (HB)




DN1 x DN2	m	L1	SW	DN1 x DN2	m	L1	SW
1/4" x 1/8"	4	11	15	1 1/2" x 1 1/4"	8.2	21.8	49
3/8" x 1/8"	3.5	11.5	17.5	2" x 1/2"	8.2	25.6	62
3/8" x 1/4"	5	12.7	18.5	2" x 3/4"	8.4	25.2	62
1/2" x 1/8"	4.8	15.2	22.5	2" x 1"	8.4	25.6	61.8
1/2" x 1/4"	4.8	15.4	22.5	2" x 1 1/4"	8.5	25.5	62.5
1/2" x 3/8"	4.8	15.1	22.5	2" x 1 1/2"	8.8	25.4	62.3
3/4" x 1/4"	5.7	16.6	28	2 1/2" x 1"	10.8	28	78.3
3/4" x 3/8"	5.8	16.7	28.3	2 1/2" x 1 1/4"	10.5	28.2	77.8
3/4" x 1/2"	5.6	16.9	28.5	2 1/2" x 1 1/2"	10.7	28.1	78.3
1" x 1/4"	6.8	19	34.8	2 1/2" x 2"	10.8	28.2	78
1" x 3/8"	6.8	19	34.8	3" x 1"	10.8	30	89.5
1" x 1/2"	7	18.9	34.8	3" x 1 1/4"	10.8	30	89.5
1" x 3/4"	7.2	18.8	35	3" x 1 1/2"	11	29.7	89.7
1 1/4" x 1/2"	8.5	20.5	44	3" x 2"	12	28.5	89.8
1 1/4" x 3/4"	8.5	20.3	43.4	3" x 2 1/2"	11.8	30.2	92.5
1 1/4" x 1"	8.4	20.6	43.9	4" x 1 1/2"	12	35.8	116.2
1 1/2" x 1/2"	8	21.5	48.8	4" x 2"	12	35.6	115.7
1 1/2" x 3/4"	8.5	21.5	49	4" x 2 1/2"	12	35.6	115.7
1 1/2" x 1"	8.4	21.6	49	4" x 3"	13	34.8	115.8

Red. Hex. Nipple(RHN)



DN1 x DN2	m	L1	L2	SW	DN1 x DN2	m	L1	L2	SW
1/4" * 1/8"	5.7	12.1	9.3	15	1 1/2" * 1/2"	8.5	21	15	50
3/8" * 1/8"	5.7	12.2	9.1	18.5	1 1/2" * 3/4"	9.4	21	17	50
3/8" * 1/4"	6	12	12	18.5	1 1/2" * 1"	9.9	20.8	18.6	49.9
1/2" * 1/8"	5.5	14.5	8.8	22	1 1/2" * 1 1/4"	9.9	20.8	20.3	50
1/2" * 1/4"	5.8	14.5	11.7	22	2" * 1/2"	9.8	26	14.6	62.3
1/2" * 3/8"	5.5	14.6	12.3	22.5	2" * 3/4"	9.7	25.7	17	62
3/4" * 1/4"	6	15.5	11.3	28	2" * 1"	9.4	26	18.6	62
3/4" * 3/8"	6.6	16.6	13	28.4	2" * 1 1/4"	10.3	25.3	20.7	61.9
3/4" * 1/2"	6.3	17	14.5	28.4	2" * 1 1/2"	9.5	26	21.5	62
1" * 1/4"	8.8	19.2	12	35	2 1/2" * 1"	10.8	28	18.2	78.5
1" * 3/8"	7.2	18.8	12.8	35.3	2 1/2" * 1 1/4"	10.6	28	20.4	78
1" * 1/2"	6.3	19	15	34.5	2 1/2" * 1 1/2"	10.3	28.5	21	78
1" * 3/4"	7	18.3	16.6	35.2	2 1/2" * 2"	11	29.5	25	78
1 1/4" * 3/8"	25.5	2	12	44	3" * 2"	12	30	25.3	92
1 1/4" * 1/2"	7.8	20.2	15	44.2	3" * 2 1/2"	12.2	30	28.5	92
1 1/4" * 3/4"	7.7	20.5	16.8	44	4" * 3"	12	34	32	115.5
1 1/4" * 1"	7.8	20.5	18.3	44					

Reduce Socket Banded(RSB)



DN1 x DN2	Φ1	Φ2	L3	DN1 x DN2	Φ1	Φ2	L3
1/4" * 1/8"	17.1	14	21.1	1 1/2" * 1"	55.2	38.5	43
3/8" * 1/8"	22	14	25	1 1/2" * 1 1/4"	55.3	48.5	46
3/8" * 1/4"	22	17.5	28.1	2" * 1/2"	64.4	25.3	45.5
1/2" * 1/4"	26.5	17.3	29.1	2" * 3/4"	64.5	30.8	45.5
1/2" * 3/8"	26.1	21	31.7	2" * 1"	66.3	38.7	49.2
3/4" * 1/4"	32	17	30.8	2" * 1 1/4"	68.7	49.2	51.2
3/4" * 3/8"	32.2	21	33.4	2" * 1 1/2"	69	55.5	51.5
3/4" * 1/2"	32.1	27	36.6	2 1/2" * 1 1/4"	82.3	47	53
1" * 1/4"	40	17.2	33	2 1/2" * 1 1/2"	82.2	53	53
1" * 3/8"	39.6	21.2	35.5	2 1/2" * 2"	83	65.75	58.3
1" * 1/2"	38.77	26	36.5	3" * 2"	95.5	66	60
1" * 3/4"	39.5	32	40	3" * 2 1/2"	95.5	81.9	63.3
1 1/4" * 1/2"	46.1	25	41.2	3" * 2 1/2"	95.5	82.2	72
1 1/4" * 3/4"	49	32	42.4	4" * 2"	123.5	68.4	68
1 1/4" * 1"	48.9	39	43.2	4" * 2 1/2"	124	83.3	68.2
1 1/2" * 1/2"	55.2	26.3	38.2	4" * 3"	124	97.7	95.5
1 1/2" * 3/4"	52.3	30.8	42				